

New Jersey Division of HIV/AIDS Services  
Persons Living with HIV/AIDS as of December 31, 2005  
Morris County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
AIDS-Any OI	127	20	0	0	127	20
AIDS-CD4 Only	226	36	0	0	226	36
HIV Only	270	43	6	100	276	44
Total	623	100	6	100	629	100

2. Age *			3. Race/Eth.		Adult/Adl*		Pediatric*		Total	
Cases	%				Cases	%	Cases	%	Cases	%
<5	#	#	White, Not Hispanic		#	#	#	#	353	56
5-12	#	#	Black, Not Hispanic		#	#	#	#	145	23
13-19	7	1	Hispanic		#	#	#	#	112	18
20-29	23	4	Other/Unknown		19	3	0	0	19	3
30-39	134	21								
40-49	272	43	Total		623	100	6	100	629	100
50+	187	30								
Unk.	0	0								
Total	629	100								

4. Patient Group	Adult/Adolescent Modified Exposure Categories **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	180	43	0	0	180	29
Injection drug user (IDU)	93	22	56	29	149	24
MSM/IDU	16	4	0	0	16	3
Heterosexual contact***	78	18	118	62	196	32
Risk not reported/other****	55	13	17	9	72	12
Total	422	100	191	100	613	100

	Pediatric Modified Exposure Categories					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	9	90	6	100	15	94
Risk not reported/other****	#	#	0	0	#	#
Total	10	100	6	100	16	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification based on current age at the end of December 2005.

\*\* 10 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

\*\*\* Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

\*\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of December 31, 2005  
Morris County Residents

1. Disease Category	Adult/Adolescent*		Pediatric*		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	263 ( 30)	# ( #)	5 ( 38)	# ( #)	268 ( 30)	214 ( 80)
Other OI w/o PCP	217 ( 25)	# ( #)	8 ( 62)	# ( #)	225 ( 25)	162 ( 72)
KS Alone	37 ( 4)	33 ( 89)	0 ( 0)	0 ( .)	37 ( 4)	33 ( 89)
No Disease Listed	360 ( 41)	128 ( 36)	0 ( 0)	0 ( .)	360 ( 40)	128 ( 36)
Total	877 (100)	528 ( 61)	13 (100)	9 ( 69)	890 (100)	537 ( 61)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases %	Pediatric* Cases %	Total Cases %
Under 5	9	1	White, Not Hispanic	583 66	5 38	588 66
5-12	#	#	Black, Not Hispanic	188 21	6 46	194 22
13-19	5	1	Hispanic	# #	# #	98 11
20-29	115	13	Other/Unknown	# #	# #	10 1
30-39	401	45				
40-49	253	28	Total	877 100	13 100	890 100
Over 49	103	12				
Unknown	#	#				
Total	890	100				

4. Patient Group	Adult/Adolescent Modified Exposure Categories **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	289	43	0	0	289	33
Injection drug user (IDU)	207	31	91	43	298	34
MSM/IDU	24	4	0	0	24	3
Heterosexual contact***	87	13	95	45	182	21
Risk not reported/other****	58	9	25	12	83	9
Total	665	100	211	100	876	100

	Pediatric Modified Exposure Categories					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	7	88	6	100	13	93
Risk not reported/other****	#	#	0	0	#	#
Total	8	100	6	100	14	100

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of AIDS diagnosis.

\*\* 1 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

\*\*\*\* Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of December 31, 2005  
Morris County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	12	12	100%
1985	12	12	100%
1986	28	25	89%
1987	46	44	96%
1988	47	45	96%
1989	43	41	95%
1990	42	34	81%
1991	43	40	93%
1992	63	59	94%
1993	109	89	82%
1994	86	49	57%
1995	69	27	39%
1996	62	21	34%
1997	47	12	26%
1998	24	7	29%
1999	28	5	18%
2000	29	8	28%
2001	35	#	#
2002	28	#	#
2003	19	0	0%
2004	12	#	#
2005	6	0	0%
-----	-----	-----	-----
Total	890	537	60%

New Jersey Division of HIV/AIDS Services

HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2005  
Morris County Residents

1. Age *	Cases %		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	8	3	White, Not Hispanic	#	#	#	#	161	53
5-12	#	#	Black, Not Hispanic	#	#	#	#	67	22
13-19	#	#	Hispanic	#	#	#	#	61	20
20-29	54	18	Other/Unknown	14	5	0	0	14	5
30-39	141	47	-----	-----	-----	-----	-----	-----	-----
40-49	67	22	Total	292	100	11	100	303	100
Over 49	26	9							
Unknown	0	0							
-----	-----	-----							
Total	303	100							

3. Patient Group	Adult/Adolescent		Modified Exposure		Categories **	
	Males	%	Females	%	Total	%
-----	-----	-----	-----	-----	-----	-----
Men sex with men (MSM)	85	42	0	0	85	29
Injection drug user (IDU)	51	25	20	23	71	24
MSM/IDU	6	3	0	0	6	2
Heterosexual contact***	31	15	63	72	94	32
Risk not reported/other****	31	15	5	6	36	12
-----	-----	-----	-----	-----	-----	-----
Total	204	100	88	100	292	100

	Pediatric		Modified Exposure		Categories	
	Males	%	Females	%	Total	%
-----	-----	-----	-----	-----	-----	-----
Parent at risk/has AIDS/HIV	#	#	#	#	11	100
Risk not reported/other****	0	0	0	0	0	0
-----	-----	-----	-----	-----	-----	-----
Total	#	#	#	#	11	100

\* Classification at time of first HIV+ test.

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\*\* 0 patients were diagnosed with HIV as adults, but have evidence of having  
been HIV-infected as children. They are counted as adult/adolescent  
reports in tables 1 and 2; and as pediatric reports in table 3.

\*\*\* Included in this category are persons with no other risk identified  
who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

\*\*\*\* Included in this category are persons with transmission categories of  
coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated  
to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS  
that have subsequently been updated to AIDS. Also not included in these tables are  
HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed  
HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been  
found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of December 31, 2005  
Morris County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	558	47
AIDS-CD4 Only	#	#	#	#	332	28
HIV Only	292	25	11	44	303	25
-----	-----	---	-----	---	-----	---
Total	1168	100	25	100	1193	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	18	2	White, Not Hispanic	740	63	9	36	749	63
5-12	7	1	Black, Not Hispanic	251	21	10	40	261	22
13-19	8	1	Hispanic	153	13	6	24	159	13
20-29	199	17	Other/Unknown	24	2	0	0	24	2
30-39	553	46	-----	-----	---	-----	---	-----	---
40-49	294	25	Total	1168	100	25	100	1193	100
Over 49	114	10							
Unknown	0	0							
-----	-----	---							
Total	1193	100							

4. Patient Group	Adult/Adolescent Modified Exposure Categories **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	374	43	0	0	374	32
Injection drug user (IDU)	258	30	111	37	369	32
MSM/IDU	30	3	0	0	30	3
Heterosexual contact***	118	14	158	53	276	24
Risk not reported/other****	89	10	30	10	119	10
-----	-----	---	-----	---	-----	---
Total	869	100	299	100	1168	100

	Pediatric Modified Exposure Categories					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	14	93	10	100	24	96
Risk not reported/other****	#	#	0	0	#	#
-----	-----	---	-----	---	-----	---
Total	15	100	10	100	25	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of first HIV+/AIDS diagnosis.

\*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

\*\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of December 31, 2005  
Morris County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	15	15	100%
1985	21	18	86%
1986	39	31	79%
1987	63	54	86%
1988	65	56	86%
1989	65	54	83%
1990	72	51	71%
1991	76	53	70%
1992	84	49	58%
1993	114	72	63%
1994	83	35	42%
1995	67	19	28%
1996	72	15	21%
1997	67	13	19%
1998	44	8	18%
1999	50	#	#
2000	59	8	14%
2001	41	#	#
2002	34	5	15%
2003	28	#	#
2004	22	#	#
2005	12	0	0%
-----	-----	-----	-----
Total	1193	564	47%